

IN THE CLAIMS:

1. (Previously Presented) A method of processing a received message at a receiving device,
the method comprising:

receiving a message expressed in a non-negotiated language, said message having at least one
tag;

analyzing said at least one tag to determine if said receiving device can process said message;
and

processing said message when said analyzing determines said receiving device can process
said message.

2. (Previously Presented) The method of Claim 1, wherein said analyzing includes
comparing said at least one tag with a table of said receiving device and determining said message
can be processed if said table includes said at least one tag.

3. (Original) The method of Claim 1, wherein the message comprises: a start tag and an end
tag.

4. (Original) The method of Claim 3, wherein the message further comprises data
encapsulated between said start and end tag.

5. (Original) The method of Claim 1, wherein said step of processing the message,
comprises executing an instruction associated with the message.

6. (Previously Presented) A method of processing received messages at a receiving device,
the method comprising:

receiving messages in a non-negotiated language without employing a fixed protocol;

parsing said messages to determine if said messages are decipherable; and

processing those messages determined to be decipherable.

7. (Original) The method of Claim 6, further comprising the step of: disregarding any messages not decipherable.

8. (Original) The method of Claim 6, wherein the step of processing comprises executing an instruction associated with at least one of said comprehended messages.

9. (Original) The method of Claim 6, wherein the step of processing comprises storing data associated with at least one of said comprehended messages.

10. (Original) The method of Claim 6, wherein said comprehended messages are written in a human readable text language.

11. (Original) The method of Claim 8, wherein said executing an instruction comprises displaying information associated with at least one of said deciphered messages.

12. (Original) The method of Claim 6, wherein at least one of the messages comprises a start tag, an end tag and data encapsulated between said tags.

13. (Original) The method of Claim 6, wherein at least one of the messages is written in an Extensible Markup Language.

14. (Currently Amended) A system of a receiving device for receiving at least one message expressed in a non-negotiated language, comprising:

a tag recognizer configured to determine if said receiving device is capable of processing said message to what extent the message can be processed by said receiving device by analyzing tags in said the message, said analyzing occurring at said receiving device configured to receive said non-negotiated language message without employing a fixed protocol; and

a controller configured to process said the message based on said the determination of said the tag recognizer and to disregard an unrecognized message.

15. (Original) The system of Claim 14, wherein the message is a readable text language.

16. (Previously Presented) The system of Claim 14, wherein said at least one message includes a start tag and an end tag.

17. (Original) The system of Claim 14, wherein said system is a personal digital assistant (PDA) for receiving the message in a wireless environment whereby no fixed handshaking protocol is used to receive the message.

18. (Original) The system of Claim 17, wherein said PDA displays information to a user to the extent the message is discerned by said parser.

19. (Original) The system of Claim 14, wherein the message is written in an Extensible Text Markup Language.

20. (Previously Presented) The system of Claim 14, wherein said at least one message includes multiple portions having tags associated therewith, said tag recognizer configured to determine if each of said multiple portions are decipherable by analyzing said associated tags and said controller configured to process or disregard said each of said multiple portions based on said decipherable determination.